




MG. GC60-2. 090044 2H & TOPBOARD Assembly Instruction




This manual is used for the installation of **MG. GC60-2. 090044 2H**; **MG. GC60-2. 075044 2H**

Please read this manual carefully before use and keep it properly.


Assembly note:




- 1 Use a protective layer and handle the product with care.



- 2 At least two people are required.




- 3 Contact Sunon if you have any confusions.



This picture shows all the accessories required, among them some are key accessories.
If you have missed any, please contact Sunon. Tel:+86-400-8600-666


Explosion diagram:



No.	Name	Qty
1	MG. GFJ11. 090045M Laminate Top	1
2	340000098 Hexagon socket head cap screws	6
3	MG. GC60-2. 090044 2H fixed cabinet	1
4	4# Allen key	1

Accessory list

A



MG. GFJ11. 0900
45M Laminate top

900*450*25

1

B




340000098
Hexagon socket
head cap screws

M6*16

6

C




MG. GC60-2. 090044
2H fixed cabinet

900*500*725

1

D



Allen key



4#

1

1、Pull out the upper drawer.


1

△Use a protective layer here if put
it on the floor





2、Disassemb the locking bar: Loose the three 340000010 ST4*10 Phillips flat head self-tapping screws in a clockwise direction, remove the two ends of the locking bar from the left and right

2




340000010 ST4*10 Cross flat head self-tapping screws*3





3、1. Install the laminate top: Align the drill holes of top with the cabinet and place it on the top of the cabinet, connect it with 6 340000098 hexagon socket head flat head screws, and use the hexagon socket wrench to lock the screws counterclockwise in turn.

3





4、Install the locking strip: Put the locking strip into the lock beam at both ends, insert the left and right long lock strip pendants, and move to the right to insert the card slot, and then use a Phillips screwdriver to counterclockwise three 340000010 ST4*10 cross flat round heads Self-tapping screws and tighten it.

4




5、Install the drawer.

5




DONE !




Acceptance note:




① Surfaces should be clean



② The site should be Tidied up



③ Check the product lists and sign





Headquarter: Sunon Central Business Building, No. 200 Shimin Street, Qianjiang CBD,
Hangzhou, Zhejiang, China

TEL: 400 8600 666 PC: 310020

    i.sunon.com



website



Wechat