





Model Installation Manual




This manual is used for the installation of CMD10GS.
Please read it carefully before use and keep it properly.


Assembly note:




- Use a protective mat and handle the product with care.



- At least two people are required.




- Contact Sunon if you have any confusions.






This picture shows all the accessories required, among which some are key accessories.
If you have missed any, please contact Sunon. Tel:949-337-8838

Exploded
diagram:




No.	Name	Pcs
1	Front leg	1
2	Crosspiece	2
3	Rear leg	1
4	Frame	1

Accessory list:

A			B			C		
								
hex screw	M8*16	4	screw cap	50*22*18	4	Allen wrench (with round ball)	5#	1

1. Fix base on the frame. Tighten screws A, then put on screw caps B.

1




A M8*16
(x4)

B 50*22*18
(x4)

C 5#
(x1)


2.Done.

2




Done!

Acceptance note:




① Clean the surface.



② Tidy up.



③ Check and deliver.






Suite 150, Building 525 Technology Drive, Irvine, CA.92618
sunonglobal.com 949-337-8838 info.us@isunon.com





Model


Installation Manual




This manual is used for the installation of CMD11GS.

Please read it carefully before use and keep it properly.


Assembly note:




- Use a protective mat and handle the product with care.



- At least two people are required.




- Contact Sunon if you have any confusions.







This picture shows all the accessories required, among which some are key accessories.
If you have missed any, please contact Sunon. Tel:949-337-8838

**Exploded
diagram:**




No.	Name	Pcs
1	Front leg	1
2	Crosspiece	2
3	Rear leg	1
4	Writing board	1
5	Frame	1

Accessory list:

A 			B 			C 		
hex screw	M8*16	4	screw cap	50*22*18	4	hex screw	M6*10	3
D 								
Allen wrench(with round ball)	5#	1						


1. Fix base on the frame. Tighten screws A, then put on screw caps B.



1



2.Insert the writing board support bar to chair base after aligning screws with holes. Then fix the writing board on the chair frame by tightening screws C.


2



- | | |
|---|---|
|  |  |
| C | D |
| M6*10
(x3) | 5#
(x1) |

3. Done.

3




Done!


Function:

Writing board


1. Pic 1 shows the condition of writing board when not being used;
2. When you need to take notes, follow Pic2 and rotate the writing board by 180°, then follow Pic 3's direction and rotate it by 90°. Done.



Acceptance note:




① Clean the surface.



② Tidy up.



③ Check and deliver.






Suite 150, Building 525 Technology Drive, Irvine, CA.92618
sunonglobal.com 949-337-8838 info.us@isunon.com






Model

Installation Manual




This manual is used for the installation of CMD12GS.
Please read it carefully before use and keep it properly.


Assembly note:




- Use a protective mat and handle the product with care.



- At least two people are required.




- Contact Sunon if you have any confusions.






This picture shows all the accessories required, among which some are key accessories.
If you have missed any, please contact Sunon. Tel:949-337-8838

**Exploded
diagram:**




No.	Name	Pcs
1	base	1
2	frame	1

Accessory list:

A			B			C		
								
hex screw	M8*16	4	screw cap	50*22*18	4	Allen wrench (with ball)	5#	1

1. Fix base on the frame. Tighten screws A, then put on screw caps B.

1




A M8*16
(x4)

B 50*22*18
(x4)

C 5#
(x1)


2. Done.

2




Done!

Acceptance note:




① Clean the surface.



② Tidy up.



③ Check and deliver.






Suite 150, Building 525 Technology Drive, Irvine, CA.92618
sunonglobal.com 949-337-8838 info.us@isunon.com





Model


Installation Manual




This manual is used for the installation of CMD13GS.

Please read it carefully before use and keep it properly.


Assembly note:




- Use a protective mat and handle the product with care.



- At least two people are required.




- Contact Sunon if you have any confusions.






This picture shows all the accessories required, among which some are key accessories.
If you have missed any, please contact Sunon. Tel: 949-337-8838

Exploded
diagram:




No.	Name	Pcs
1	Caster	4
2	Front leg	1
3	Crosspiece	2
4	Rear leg	1
5	Frame	1

Accessory list:

A			B			C		
								
hex screw	M8*16	4	screw cap	50*22*18	4	Allen wrench(with ball)	5#	1

1. Fix base on the frame. Tighten screws A, then put on screw caps B.

1




A M8*16
(x4)

B 50*22*18
(x4)

C 5#
(x1)


2. Insert casters vertically into base holes.

2




3. Done.

3




Done!

Acceptance note:




● Clean the surface.



● Tidy up.



● Check and deliver.






Suite 150, Building 525 Technology Drive, Irvine, CA.92618
sunonglobal.com 949-337-8838 info.us@isunon.com






Model Series Installation Manual




This manual is used for the installation of CMD14MS.
Please read it carefully before use and keep it properly.


Assembly note:




- ① Use a protective mat and handle the product with care.



- ② At least two people are required.




- ③ Contact Sunon if you have any confusions.









This picture shows all the accessories required, among which some are key accessories.
If you have missed any, please contact Sunon. Tel:949-337-8838

Exploded
diagram:






No.	Name	Pcs
1	Wood leg	4
2	Base	1
3	Frame	1

Accessory list:

<div data-bbox="151 405 188 443">A</div> 	<div data-bbox="603 405 639 443">B</div> 	<div data-bbox="1050 405 1086 443">C</div> 
<div data-bbox="169 651 304 680">hex screw</div> <div data-bbox="368 651 459 680">M8*16</div> <div data-bbox="523 651 544 680">4</div>	<div data-bbox="632 651 751 680">screw cap</div> <div data-bbox="807 651 927 680">50*22*18</div> <div data-bbox="975 651 995 680">4</div>	<div data-bbox="1031 651 1230 680">confirmat screw</div> <div data-bbox="1270 651 1361 680">M7*38</div> <div data-bbox="1425 651 1445 680">4</div>
<div data-bbox="151 719 188 757">D</div> 	<div data-bbox="603 719 639 757">E</div> 	<div data-bbox="1050 719 1086 757">F</div> 
<div data-bbox="153 949 309 1010">self-tapping screw</div> <div data-bbox="363 960 467 990">ST4*20</div> <div data-bbox="523 960 544 990">4</div>	<div data-bbox="579 949 783 1010">allen wrench(with ball)</div> <div data-bbox="842 960 882 990">4#</div> <div data-bbox="975 960 995 990">1</div>	<div data-bbox="1031 949 1235 1010">allen wrench(with ball)</div> <div data-bbox="1294 960 1334 990">5#</div> <div data-bbox="1425 960 1445 990">1</div>


1. Fix legs to the base with screw C.


1



2. Lock with self-tapping screw D.


2




D ST4*20
(x4)

3. Fix base on the frame. Tighten screws A, then put on screw caps B.

3



A M8*16
(x4)




B 50*22*18
(x4)



F 5#
(x1)


4. Done.

4




Done!

Acceptance note:




① Clean the surface.



② Tidy up.



③ Check and deliver.






Suite 150, Building 525 Technology Drive, Irvine, CA.92618
sunonglobal.com 949-337-8838 info.us@isunon.com






Model

Installation Manual




This manual is used for the installation of CMD15GS.
Please read it carefully before use and keep it properly.


Assembly note:




- Use a protective mat and handle the product with care.



- At least two people are required.




- Contact Sunon if you have any confusions.






This picture shows all the accessories required, among which some are key accessories.
If you have missed any, please contact Sunon. Tel:949-337-8838

**Exploded
diagram:**





No.	Name	Pcs
1	Base	1
2	Frame	1

Accessory list:

A			B			C		
								
hex screw	M8*16	4	screw cap	50*22*18	4	Allen wrench(with ball)	5#	1

1. Fix base on the frame. Tighten screws A, then put on screw caps B.

1



A M8*16
(x4)




B 50*22*18
(x4)



C 5#
(x1)


2. Done.

2




Done!

Acceptance note:




① Clean the surface.



② Tidy up.



③ Check and deliver.






Suite 150, Building 525 Technology Drive, Irvine, CA.92618
sunonglobal.com 949-337-8838 info.us@isunon.com






Model

Installation Manual




This manual is used for the installation of CMD16GS.
Please read it carefully before use and keep it properly.


Assembly note:




- Use a protective mat and handle the product with care.



- At least two people are required.




- Contact Sunon if you have any confusions.






This picture shows all the accessories required, among which some are key accessories.
If you have missed any, please contact Sunon. Tel: 949-337-8838

**Exploded
diagram:**




No.	Name	Pcs
1	Base	1
2	Frame	1

Accessory list:

A			B			C		
								
hex screw	M8*16	4	screw cap	50*22*18	4	Allen wrench(with ball)	5#	1

1. Fix base on the frame. Tighten screws A, then put on screw caps B.

1




A M8*16
(x4)

B 50*22*18
(x4)

C 5#
(x1)


2. Done.

2




Done!

Acceptance note:




① Clean the surface.



② Tidy up.



③ Check and deliver.






Suite 150, Building 525 Technology Drive, Irvine, CA.92618
sunonglobal.com 949-337-8838 info.us@isunon.com






Model

Installation Manual




This manual is used for the installation of CMD17GS.
Please read it carefully before use and keep it properly.


Assembly note:




- Use a protective mat and handle the product with care.



- At least two people are required.




- Contact Sunon if you have any confusions.



This picture shows all the accessories required, among which some are key accessories.
If you have missed any, please contact Sunon. Tel: 949-337-8838


**Exploded
diagram:**




No.	Name	Pcs
1	Base	1
2	Base cover	1
3	Frame	1

1. This chair is fully assembled before delivery. Just unpack it before use.


1



Acceptance note:




① Clean the surface.



② Tidy up.



③ Check and deliver.






Suite 150, Building 525 Technology Drive, Irvine, CA.92618
sunonglobal.com 949-337-8838 info.us@isunon.com





Model


Installation Manual




This manual is used for the installation of CMD18GS.

Please read it carefully before use and keep it properly.


Assembly note:




- Use a protective mat and handle the product with care.



- At least two people are required.




- Contact Sunon if you have any confusions.



This picture shows all the accessories required, among which some are key accessories.
If you have missed any, please contact Sunon. Tel: 949-337-8838


**Exploded
diagram:**




No.	Name	Pcs
1	Base	1
2	Base cover	1
3	Armrest	2
4	Frame	1

1. This chair is fully assembled before delivery. Just unpack it before use.


1



Acceptance note:




① Clean the surface.



② Tidy up.



③ Check and deliver.






Suite 150, Building 525 Technology Drive, Irvine, CA.92618
sunonglobal.com 949-337-8838 info.us@isunon.com






Model

Installation Manual




This manual is used for the installation of CMD19GS.
Please read it carefully before use and keep it properly.


Assembly note:




- Use a protective mat and handle the product with care.



- At least two people are required.




- Contact Sunon if you have any confusions.






This picture shows all the accessories required, among which some are key accessories.
If you have missed any, please contact Sunon. Tel: 949-337-8838

Exploded
diagram:




No.	Name	Pcs
1	Base	1
2	Frame	1


Accessory list:


A			B			C		
								
hex screw	M8*16	4	screw cap	50*22*18	4	Allen wrench(with ball)	5#	1


1. Fix base on the frame. Tighten screws A, then put on screw caps B.

1



- 


A M8*16
(x4)
- 

B 50*22*18
(x4)
- 

C 5#
(x1)


2. Done.

2




Done!

Acceptance note:




● Clean the surface.



● Tidy up.



● Check and deliver.






Suite 150, Building 525 Technology Drive, Irvine, CA.92618
sunonglobal.com 949-337-8838 info.us@isunon.com





Model


Installation Manual




This manual is used for the installation of CMD50GS.

Please read it carefully before use and keep it properly.


Assembly note:




- Use a protective mat and handle the product with care.



- At least two people are required.




- Contact Sunon if you have any confusions.






This picture shows all the accessories required, among which some are key accessories.
If you have missed any, please contact Sunon. Tel: 949-337-8838

Exploded
diagram:







No.	Name	Pcs
1	Caster	4
2	Base	1
3	Frame	1

Accessory list:

A			B			C		
								
hex screw	M8*16	4	screw cap	50*22*18	4	Allen wrench(with ball)	5#	1


1. Fix base on the frame. Tighten screws A, then put on screw caps B.

1




2. Insert casters into base holes.

2




3.Done.

2




Done!

Acceptance note:




● Clean the surface.



● Tidy up.



● Check and deliver.






Suite 150, Building 525 Technology Drive, Irvine, CA.92618
sunonglobal.com 949-337-8838 info.us@isunon.com





Model


Installation Manual




This manual is used for the installation of CMD51GS.

Please read it carefully before use and keep it properly.


Assembly note:




- Use a protective mat and handle the product with care.



- At least two people are required.




- Contact Sunon if you have any confusions.





This picture shows all the accessories required, among which some are key accessories.
If you have missed any, please contact Sunon. Tel: 949-337-8838

Exploded
diagram:




No.	Name	Pcs
1	Base	1
2	Base cover	1
3	Frame	1
4	Writing board	1

Accessory list:

A			B		
					
countersunk screw	M6*25	2	Allen wrench(with ball)	5#	1

1. Fix writing board to the chair base with screws A.

1




A M6*25
(x2)

B 5#
(x1)

2. Done.

2



Done!




Function:

Writing board function:


1. The writing board can be freely rotated around the support bar for ease of use.
2. A cup holder is provided underneath the writing board and can be used by moving it outwards.



Acceptance note:




● Clean the surface.



● Tidy up.



● Check and deliver.






Suite 150, Building 525 Technology Drive, Irvine, CA.92618
sunonglobal.com 949-337-8838 info.us@isunon.com






Model

Installation Manual




This manual is used for the installation of CMD52BS.
Please read it carefully before use and keep it properly.


Assembly note:




- Use a protective mat and handle the product with care.



- At least two people are required.




- Contact Sunon if you have any confusions.



This picture shows all the accessories required, among which some are key accessories.
If you have missed any, please contact Sunon. Tel: 949-337-8838


Exploded
diagram:



No.	Name	Pcs
1	Caster	5
2	Five-star base	1
3	Gas lift	1
4	Base cover	1
5	Mechanism	1
6	Frame	1
7	Writing board	1


1. Insert casters into the holes of five-star base.

1




2. Insert the gas lift into the central hole of five-star base.

2




3. Connect the support bar of writing board with gas lift.

3



4. Align the mechanism hole with the gas lift and lay the chair body down.

4




Done!

Function:

1. Seat height adjustment

To raise seat: Angle the joystick fully and lift your weight to raise the seat height to the desired level.

To lower seat: While seated, angle the joystick fully and lower seat.



Function:

Writing board function:

1. The writing board can be freely rotated around the support bar for ease of use.
2. A cup holder is provided underneath the writing board and can be used by moving it outwards.
3. The writing board together with its support bar can be adjusted flexibly.



①




②




③

Acceptance note:




● Clean the surface.



● Tidy up.



● Check and deliver.






Suite 150, Building 525 Technology Drive, Irvine, CA.92618
sunonglobal.com 949-337-8838 info.us@isunon.com






Model

Installation Manual




This manual is used for the installation of CMD70GS.
Please read it carefully before use and keep it properly.


Assembly note:




- Use a protective mat and handle the product with care.



- At least two people are required.




- Contact Sunon if you have any confusions.






This picture shows all the accessories required, among which some are key accessories.
If you have missed any, please contact Sunon. Tel: 949-337-8838

**Exploded
diagram:**







No.	Name	Pcs
1	Base	1
2	Frame	1

Accessory:

A			B			C		
								
hex screw	M8*16	4	screw cap	50*22*18	4	Allen wrench(with ball)	5#	1


1. Fix base on the frame. Tighten screws A, then put on screw caps B.

1




2. Done.

2




Done!

Acceptance note:




① Clean the surface.



② Tidy up.



③ Check and deliver.






Suite 150, Building 525 Technology Drive, Irvine, CA.92618
sunonglobal.com 949-337-8838 info.us@isunon.com






Model Installation Manual




This manual is used for the installation of CMD71BS.

Please read it carefully before use and keep it properly.


Assembly note:




- Use a protective mat and handle the product with care.



- At least two people are required.




- Contact Sunon if you have any confusions.



This picture shows all the accessories required, among which some are key accessories.
If you have missed any, please contact Sunon. Tel: 949-337-8838


Exploded
diagram:



No.	Name	Pcs
1	Caster	5
2	Five-star base	1
3	Gas lift	1
4	Foot ring	1
5	Base cover	1
6	Mechanism	1
7	Frame	1


1. Insert casters into the holes of five-star base.

1




2. Insert the gas lift into the central hole of five-star base.

2




3. Turn the knob A counterclockwise, connect the foot ring with gas lift, and turn the knob A clockwise to fix the foot ring.

3



4. Align the mechanism hole with the gas lift and lay the chair body down.

4




Done!

Function:

1. Seat height adjustment

To raise seat: Angle the joystick fully and lift your weight to raise the seat height to the desired level.


To lower seat: While seated, angle the joystick fully and lower seat.




Function:

2. Foot ring height adjustment


Turn the knob A counterclockwise to loose the foot ring and adjust it to the right position. Then turn the knob A clockwise to fix the foot ring.



Acceptance note:




● Clean the surface.



● Tidy up.



● Check and deliver.





Suite 150, Building 525 Technology Drive, Irvine, CA.92618
sunonglobal.com 949-337-8838 info.us@isunon.com

