


Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfuction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:



Sunon 圣奥

Using instruction

Thanks for buying this product.
Please read this instruction carefully before use.

Product introduction

Series: Qiandao Series
 Model: ST30. 1. MR
 Dimension: 730*710*460*460MM
 Material: Use of high-quality cleats, leather, fabric, metal fee

This product is for office, decoration, indoor use.


Sunon Technology Co., Ltd.

Service Hotline: 4008-600-666

Website: www.sunonglobal.com

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang


Manufacturing Base: No. 5806 Qingxi 3rd road, Qiantang District, Hangzhou, Zhejiang, China



Material:

Material	Genuine leather	Premium leather, lustrous, airy, soft and resilient.
	Water-based leather/EPU	Colorful and diversified.
	Hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	Resilient foam	Of appropriate hardness.
	Latex foam	Made of natural latex, high elasticity, shock absorption, good load-bearing, comfortable and durable.
	PP foam	Comfortable touch, smooth and soft, flexible and well-shaped.
	Silk wadding	Even and smooth.
	Duck down	Good quality, resilient and able to contract and expand as temperature changes.
Other materials	Solid wood	Top quality natural larch wood, moisture content ≤ 12%.
	Artificial panel	Not easily deformed, safe and eco-friendly.
	Spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity.
	Reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	Coated wood piece	The paint has great resistance to heat and impact.
Hardware	Premium (A-grade) accessory, lightweight, durable and safe.	

Dimension:





No further notice will be given with regard to changes.

Assembly instruction:

Installation and usage instructions:

1. After unpacking the sofa, inspect it for any abnormalities before conducting sofa cleaning.
2. If the sofa requires assembly, use protective padding materials for safeguarding, place it with the back facing the ground during assembly, tighten the sofa legs with screws, then straighten the sofa to check that it is fully aligned, with all four legs level and non-wobbly.




Accessories list

a	b	c
 Cross Recessed Countersunk Self-Tapping Screw ST50*60 4PCS	 Tang Leg Frame Connector-1 106*93*47.5 1PCS	 Tang Leg Frame Connector-2 106*93*47.5 1PCS

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfuction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:



Sunon 圣奥

Using instruction

Thanks for buying this product.
Please read this instruction
carefully before use.

Product introduction

Series: Qiandao Series
Model: ST31. 1. MR
Dimension: 650*710*460*460MM
Material: Use of high-quality cleats, leather, fabric, metal fee

This product is for office, decoration, indoor use.


Sunon Technology Co., Ltd.

Service Hotline: 4008-600-666

Website: www.sunonglobal.com

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang


Manufacturing Base: No. 5806 Qingxi 3rd road, Qiantang District, Hangzhou, Zhejiang, China



Material:

Material	Genuine leather	Premium leather, lustrous, airy, soft and resilient.
	Water-based leather/EPU	Colorful and diversified.
	Hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	Resilient foam	Of appropriate hardness.
	Latex foam	Made of natural latex, high elasticity, shock absorption, good load-bearing, comfortable and durable.
	PP foam	Comfortable touch, smooth and soft, flexible and well-shaped.
	Silk wadding	Even and smooth.
	Duck down	Good quality, resilient and able to contract and expand as temperature changes.
Other materials	Solid wood	Top quality natural larch wood, moisture content ≤ 12%.
	Artificial panel	Not easily deformed, safe and eco-friendly.
	Spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity.
	Reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	Coated wood piece	The paint has great resistance to heat and impact.
Hardware	Premium (A-grade) accessory, lightweight, durable and safe.	

Dimension:





No further notice will be given with regard to changes.

Assembly instruction:

Installation and usage instructions:

1. After unpacking the sofa, inspect it for any abnormalities before conducting sofa cleaning.
2. If the sofa requires assembly, use protective padding materials for safeguarding, place it with the back facing the ground during assembly, tighten the sofa legs with screws, then straighten the sofa to check that it is fully aligned, with all four legs level and non-wobbly.




Accessories list

a	b	c
 Cross Recessed Countersunk Self-Tapping Screw ST50*60 4PCS	 Tang Leg Frame Connector-1 106*93*47.5 1PCS	 Tang Leg Frame Connector-2 106*93*47.5 1PCS

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfuction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:



Sunon 圣奥

Using instruction

Thanks for buying this product.
Please read this instruction
carefully before use.

Product introduction

Series: Qiandao Series
Model: ST32. NA. MR
Dimension: 650*690*800*460MM
Material: Use of high-quality cleats, leather, fabric, metal fee

This product is for office, decoration, indoor use.

Sunon Technology Co., Ltd.

Service Hotline: 4008-600-666

Website: www.sunonglobal.com




Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang

Manufacturing Base: No. 5806 Qingxi 3rd road, Qiantang District, Hangzhou, Zhejiang, China

Material:

Material	Genuine leather	Premium leather, lustrous, airy, soft and resilient.
	Water-based leather/EPU	Colorful and diversified.
	Hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	Resilient foam	Of appropriate hardness.
	Latex foam	Made of natural latex, high elasticity, shock absorption, good load-bearing, comfortable and durable.
	PP foam	Comfortable touch, smooth and soft, flexible and well-shaped.
	Silk wadding	Even and smooth.
	Duck down	Good quality, resilient and able to contract and expand as temperature changes.
Other materials	Solid wood	Top quality natural larch wood, moisture content ≤ 12%.
	Artificial panel	Not easily deformed, safe and eco-friendly.
	Spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity.
	Reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	Coated wood piece	The paint has great resistance to heat and impact.
Hardware	Premium (A-grade) accessory, lightweight, durable and safe.	

Dimension:





No further notice will be given with regard to changes.

Assembly instruction:

Installation and usage instructions:

1. After unpacking the sofa, inspect it for any abnormalities before conducting sofa cleaning.
2. If the sofa requires assembly, use protective padding materials for safeguarding, place it with the back facing the ground during assembly, tighten the sofa legs with screws, then straighten the sofa to check that it is fully aligned, with all four legs level and non-wobbly.




Accessories list

a	b	c
 Cross Recessed Countersunk Self-Tapping Screw ST50*60 4PCS	 Tang Leg Frame Connector-1 106*93*47.5 1PCS	 Tang Leg Frame Connector-2 106*93*47.5 1PCS

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfuction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:



Sunon 圣奥

Using instruction

Thanks for buying this product.
Please read this instruction carefully before use.

Product introduction

Series: Qiandao Series
 Model: ST32. RA. MR
 Dimension: 750*690*800*460MM
 Material: Use of high-quality cleats, leather, fabric, metal fee

This product is for office, decoration, indoor use.


Sunon Technology Co., Ltd.

Service Hotline: 4008-600-666

Website: www.sunonglobal.com

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang


Manufacturing Base: No. 5806 Qingxi 3rd road, Qiantang District, Hangzhou, Zhejiang, China



Material:

Material	Genuine leather	Premium leather, lustrous, airy, soft and resilient.
	Water-based leather/EPU	Colorful and diversified.
	Hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	Resilient foam	Of appropriate hardness.
	Latex foam	Made of natural latex, high elasticity, shock absorption, good load-bearing, comfortable and durable.
	PP foam	Comfortable touch, smooth and soft, flexible and well-shaped.
	Silk wadding	Even and smooth.
	Duck down	Good quality, resilient and able to contract and expand as temperature changes.
Other materials	Solid wood	Top quality natural larch wood, moisture content ≤ 12%.
	Artificial panel	Not easily deformed, safe and eco-friendly.
	Spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity.
	Reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	Coated wood piece	The paint has great resistance to heat and impact.
Hardware	Premium (A-grade) accessory, lightweight, durable and safe.	

Dimension:





No further notice will be given with regard to changes.

Assembly instruction:

Installation and usage instructions:

1. After unpacking the sofa, inspect it for any abnormalities before conducting sofa cleaning.
2. If the sofa requires assembly, use protective padding materials for safeguarding, place it with the back facing the ground during assembly, tighten the sofa legs with screws, then straighten the sofa to check that it is fully aligned, with all four legs level and non-wobbly.




Accessories list

a	b	c
 Cross Recessed Countersunk Self-Tapping Screw ST50*60 4PCS	 Tang Leg Frame Connector-1 106*93*47.5 1PCS	 Tang Leg Frame Connector-2 106*93*47.5 1PCS

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfuction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:



Sunon 圣奥

Using instruction

Thanks for buying this product.
Please read this instruction
carefully before use.

Product introduction

Series: Qiandao Series
Model: ST32. LA. MR
Dimension: 750*690*800*460MM
Material: Use of high-quality cleats, leather, fabric, metal fee

This product is for office, decoration, indoor use.

Sunon Technology Co., Ltd.

Service Hotline: 4008-600-666

Website: www.sunonglobal.com


Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang

Manufacturing Base: No. 5806 Qingxi 3rd road, Qiantang District, Hangzhou, Zhejiang, China

Material:

Material	Genuine leather	Premium leather, lustrous, airy, soft and resilient.
	Water-based leather/EPU	Colorful and diversified.
	Hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	Resilient foam	Of appropriate hardness.
	Latex foam	Made of natural latex, high elasticity, shock absorption, good load-bearing, comfortable and durable.
	PP foam	Comfortable touch, smooth and soft, flexible and well-shaped.
	Silk wadding	Even and smooth.
	Duck down	Good quality, resilient and able to contract and expand as temperature changes.
Other materials	Solid wood	Top quality natural larch wood, moisture content ≤ 12%.
	Artificial panel	Not easily deformed, safe and eco-friendly.
	Spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity.
	Reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	Coated wood piece	The paint has great resistance to heat and impact.
Hardware	Premium (A-grade) accessory, lightweight, durable and safe.	

Dimension:





Assembly instruction:

No further notice will be given with regard to changes.

Installation and usage instructions:

1. After unpacking the sofa, inspect it for any abnormalities before conducting sofa cleaning.
2. If the sofa requires assembly, use protective padding materials for safeguarding, place it with the back facing the ground during assembly, tighten the sofa legs with screws, then straighten the sofa to check that it is fully aligned, with all four legs level and non-wobbly.




Accessories list

<p>a</p>  <p>Cross Recessed Countersunk Self-Tapping Screw ST50*60 4PCS</p>	<p>b</p>  <p>Tang Leg Frame Connector-1 106*93*47.5 1PCS</p>	<p>c</p>  <p>Tang Leg Frame Connector-2 106*93*47.5 1PCS</p>

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfuction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:




Sunon 圣奥

Using instruction

Thanks for buying this product.
Please read this instruction
carefully before use.

Product introduction

Series: Qiandao Series
Model: ST32. 1. MR
Dimension: 880*690*800*460MM
Material: Use of high-quality cleats, leather, fabric, metal fee



This product is for office, decoration, indoor use.

Sunon Technology Co., Ltd.

Service Hotline: 4008-600-666

Website: www.sunonglobal.com


Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang

Manufacturing Base: No. 5806 Qingxi 3rd road, Qiantang District, Hangzhou, Zhejiang, China

Material:

Material	Genuine leather	Premium leather, lustrous, airy, soft and resilient.
	Water-based leather/EPU	Colorful and diversified.
	Hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	Resilient foam	Of appropriate hardness.
	Latex foam	Made of natural latex, high elasticity, shock absorption, good load-bearing, comfortable and durable.
	PP foam	Comfortable touch, smooth and soft, flexible and well-shaped.
	Silk wadding	Even and smooth.
	Duck down	Good quality, resilient and able to contract and expand as temperature changes.
Other materials	Solid wood	Top quality natural larch wood, moisture content ≤ 12%.
	Artificial panel	Not easily deformed, safe and eco-friendly.
	Spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity.
	Reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	Coated wood piece	The paint has great resistance to heat and impact.
Hardware	Premium (A-grade) accessory, lightweight, durable and safe.	

Dimension:




No further notice will be given with regard to changes.

Assembly instruction:

Installation and usage instructions:

1. After unpacking the sofa, inspect it for any abnormalities before conducting sofa cleaning.
2. If the sofa requires assembly, use protective padding materials for safeguarding, place it with the back facing the ground during assembly, tighten the sofa legs with screws, then straighten the sofa to check that it is fully aligned, with all four legs level and non-wobbly.




Accessories list

a	b	c
 Cross Recessed Countersunk Self-Tapping Screw ST50*60 4PCS	 Tang Leg Frame Connector-1 106*93*47.5 1PCS	 Tang Leg Frame Connector-2 106*93*47.5 1PCS

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfuction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.


Note:



Sunon 圣奥

Using instruction

Thanks for buying this product.
Please read this instruction
carefully before use.



Product introduction

Series: Qiandao Series
Model: ST33. NA. MR
Dimension: 650*690*1200*460MM
Material: Use of high-quality cleats, leather, fabric, metal fee

This product is for office, decoration, indoor use.

Sunon Technology Co., Ltd.

Service Hotline: 4008-600-666

Website: www.sunonglobal.com




Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang

Manufacturing Base: No. 5806 Qingxi 3rd road, Qiantang District, Hangzhou, Zhejiang, China

Material:

Material	Genuine leather	Premium leather, lustrous, airy, soft and resilient.
	Water-based leather/EPU	Colorful and diversified.
	Hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	Resilient foam	Of appropriate hardness.
	Latex foam	Made of natural latex, high elasticity, shock absorption, good load-bearing, comfortable and durable.
	PP foam	Comfortable touch, smooth and soft, flexible and well-shaped.
	Silk wadding	Even and smooth.
	Duck down	Good quality, resilient and able to contract and expand as temperature changes.
Other materials	Solid wood	Top quality natural larch wood, moisture content ≤ 12%.
	Artificial panel	Not easily deformed, safe and eco-friendly.
	Spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity.
	Reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	Coated wood piece	The paint has great resistance to heat and impact.
Hardware	Premium (A-grade) accessory, lightweight, durable and safe.	

Dimension:





No further notice will be given with regard to changes.

Assembly instruction:

Installation and usage instructions:

1. After unpacking the sofa, inspect it for any abnormalities before conducting sofa cleaning.
2. If the sofa requires assembly, use protective padding materials for safeguarding, place it with the back facing the ground during assembly, tighten the sofa legs with screws, then straighten the sofa to check that it is fully aligned, with all four legs level and non-wobbly.




Accessories list

a	b	c
 Cross Recessed Countersunk Self-Tapping Screw ST50*60 4PCS	 Tang Leg Frame Connector-1 106*93*47.5 1PCS	 Tang Leg Frame Connector-2 106*93*47.5 1PCS

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfuction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:



Sunon 圣奥

Using instruction

Thanks for buying this product.
Please read this instruction
carefully before use.

Product introduction

Series: Qiandao Series
Model: ST33. RA. MR
Dimension: 750*690*1200*460MM
Material: Use of high-quality cleats, leather, fabric, metal fee

This product is for office, decoration, indoor use.


Sunon Technology Co., Ltd.

Service Hotline: 4008-600-666

Website: www.sunonglobal.com

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang


Manufacturing Base: No. 5806 Qingxi 3rd road, Qiantang District, Hangzhou, Zhejiang, China



Material:

Material	Genuine leather	Premium leather, lustrous, airy, soft and resilient.
	Water-based leather/EPU	Colorful and diversified.
	Hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	Resilient foam	Of appropriate hardness.
	Latex foam	Made of natural latex, high elasticity, shock absorption, good load-bearing, comfortable and durable.
	PP foam	Comfortable touch, smooth and soft, flexible and well-shaped.
	Silk wadding	Even and smooth.
	Duck down	Good quality, resilient and able to contract and expand as temperature changes.
Other materials	Solid wood	Top quality natural larch wood, moisture content ≤ 12%.
	Artificial panel	Not easily deformed, safe and eco-friendly.
	Spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity.
	Reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	Coated wood piece	The paint has great resistance to heat and impact.
Hardware	Premium (A-grade) accessory, lightweight, durable and safe.	

Dimension:





Assembly instruction:

No further notice will be given with regard to changes.

Installation and usage instructions:

1. After unpacking the sofa, inspect it for any abnormalities before conducting sofa cleaning.
2. If the sofa requires assembly, use protective padding materials for safeguarding, place it with the back facing the ground during assembly, tighten the sofa legs with screws, then straighten the sofa to check that it is fully aligned, with all four legs level and non-wobbly.




Accessories list

a	b	c
 Cross Recessed Countersunk Self-Tapping Screw ST50*60 4PCS	 Tang Leg Frame Connector-1 106*93*47.5 1PCS	 Tang Leg Frame Connector-2 106*93*47.5 1PCS

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfuction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:



Sunon 圣奥

Using instruction

Thanks for buying this product.
Please read this instruction carefully before use.

Product introduction

Series: Qiandao Series
 Model: ST33. LA. MR
 Dimension: 750*690*1200*460MM
 Material: Use of high-quality cleats, leather, fabric, metal fee

This product is for office, decoration, indoor use.


Sunon Technology Co., Ltd.

Service Hotline: 4008-600-666

Website: www.sunonglobal.com

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang


Manufacturing Base: No. 5806 Qingxi 3rd road, Qiantang District, Hangzhou, Zhejiang, China



Material:

Material	Genuine leather	Premium leather, lustrous, airy, soft and resilient.
	Water-based leather/EPU	Colorful and diversified.
	Hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	Resilient foam	Of appropriate hardness.
	Latex foam	Made of natural latex, high elasticity, shock absorption, good load-bearing, comfortable and durable.
	PP foam	Comfortable touch, smooth and soft, flexible and well-shaped.
	Silk wadding	Even and smooth.
	Duck down	Good quality, resilient and able to contract and expand as temperature changes.
Other materials	Solid wood	Top quality natural larch wood, moisture content ≤ 12%.
	Artificial panel	Not easily deformed, safe and eco-friendly.
	Spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity.
	Reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	Coated wood piece	The paint has great resistance to heat and impact.
Hardware	Premium (A-grade) accessory, lightweight, durable and safe.	

Dimension:




No further notice will be given with regard to changes.

Assembly instruction:

Installation and usage instructions:

1. After unpacking the sofa, inspect it for any abnormalities before conducting sofa cleaning.
2. If the sofa requires assembly, use protective padding materials for safeguarding, place it with the back facing the ground during assembly, tighten the sofa legs with screws, then straighten the sofa to check that it is fully aligned, with all four legs level and non-wobbly.




Accessories list

a	b	c
 Cross Recessed Countersunk Self-Tapping Screw ST50*60 4PCS	 Tang Leg Frame Connector-1 106*93*47.5 1PCS	 Tang Leg Frame Connector-2 106*93*47.5 1PCS

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfuction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:



Sunon 圣奥

Using instruction

Thanks for buying this product.
Please read this instruction
carefully before use.

Product introduction

Series: Qiandao Series
Model: ST34. 1. MR
Dimension: 710*680*350MM
Material: Use of high-quality cleats, leather, fabric, metal fee

This product is for office, decoration, indoor use.


Sunon Technology Co., Ltd.

Service Hotline: 4008-600-666

Website: www.sunonglobal.com

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang


Manufacturing Base: No. 5806 Qingxi 3rd road, Qiantang District, Hangzhou, Zhejiang, China



Material:

Material	Genuine leather	Premium leather, lustrous, airy, soft and resilient.
	Water-based leather/EPU	Colorful and diversified.
	Hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	Resilient foam	Of appropriate hardness.
	Latex foam	Made of natural latex, high elasticity, shock absorption, good load-bearing, comfortable and durable.
	PP foam	Comfortable touch, smooth and soft, flexible and well-shaped.
	Silk wadding	Even and smooth.
	Duck down	Good quality, resilient and able to contract and expand as temperature changes.
Other materials	Solid wood	Top quality natural larch wood, moisture content ≤ 12%.
	Artificial panel	Not easily deformed, safe and eco-friendly.
	Spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity.
	Reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	Coated wood piece	The paint has great resistance to heat and impact.
Hardware	Premium (A-grade) accessory, lightweight, durable and safe.	

Dimension:





No further notice will be given with regard to changes.

Assembly instruction:

Installation and usage instructions:

1. After unpacking the sofa, inspect it for any abnormalities before conducting sofa cleaning.
2. If the sofa requires assembly, use protective padding materials for safeguarding, place it with the back facing the ground during assembly, tighten the sofa legs with screws, then straighten the sofa to check that it is fully aligned, with all four legs level and non-wobbly.




Accessories list

a	b	c
 Cross Recessed Countersunk Self-Tapping Screw ST50*60 4PCS	 Tang Leg Frame Connector-1 106*93*47.5 1PCS	 Tang Leg Frame Connector-2 106*93*47.5 1PCS

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfuction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:



Sunon 圣奥

Using instruction

Thanks for buying this product.
Please read this instruction carefully before use.

Product introduction

Series: Qiandao Series
 Model: ST34. Q1. MR
 Dimension: 710*680*350MM
 Material: Use of high-quality cleats, leather, fabric, metal fee

This product is for office, decoration, indoor use.


Sunon Technology Co., Ltd.

Service Hotline: 4008-600-666

Website: www.sunonglobal.com

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang


Manufacturing Base: No. 5806 Qingxi 3rd road, Qiantang District, Hangzhou, Zhejiang, China



Material:

Material	Genuine leather	Premium leather, lustrous, airy, soft and resilient.
	Water-based leather/EPU	Colorful and diversified.
	Hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	Resilient foam	Of appropriate hardness.
	Latex foam	Made of natural latex, high elasticity, shock absorption, good load-bearing, comfortable and durable.
	PP foam	Comfortable touch, smooth and soft, flexible and well-shaped.
	Silk wadding	Even and smooth.
	Duck down	Good quality, resilient and able to contract and expand as temperature changes.
Other materials	Solid wood	Top quality natural larch wood, moisture content ≤ 12%.
	Artificial panel	Not easily deformed, safe and eco-friendly.
	Spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity.
	Reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	Coated wood piece	The paint has great resistance to heat and impact.
Hardware	Premium (A-grade) accessory, lightweight, durable and safe.	

Dimension:





No further notice will be given with regard to changes.

Assembly instruction:

Installation and usage instructions:

1. After unpacking the sofa, inspect it for any abnormalities before conducting sofa cleaning.
2. If the sofa requires assembly, use protective padding materials for safeguarding, place it with the back facing the ground during assembly, tighten the sofa legs with screws, then straighten the sofa to check that it is fully aligned, with all four legs level and non-wobbly.




Accessories list

a	b	c
 Cross Recessed Countersunk Self-Tapping Screw ST50*60 4PCS	 Tang Leg Frame Connector-1 106*93*47.5 1PCS	 Tang Leg Frame Connector-2 106*93*47.5 1PCS

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfuction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:



Sunon 圣奥

Using instruction

Thanks for buying this product.
Please read this instruction
carefully before use.

Product introduction

Series: Qiandao Series
Model: ST35. Q1. MR
Dimension: 640*720*350MM
Material: Use of high-quality cleats, leather, fabric, metal fee

This product is for office, decoration, indoor use.


Sunon Technology Co., Ltd.

Service Hotline: 4008-600-666

Website: www.sunonglobal.com

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang


Manufacturing Base: No. 5806 Qingxi 3rd road, Qiantang District, Hangzhou, Zhejiang, China



Material:

Material	Genuine leather	Premium leather, lustrous, airy, soft and resilient.
	Water-based leather/EPU	Colorful and diversified.
	Hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	Resilient foam	Of appropriate hardness.
	Latex foam	Made of natural latex, high elasticity, shock absorption, good load-bearing, comfortable and durable.
	PP foam	Comfortable touch, smooth and soft, flexible and well-shaped.
	Silk wadding	Even and smooth.
	Duck down	Good quality, resilient and able to contract and expand as temperature changes.
Other materials	Solid wood	Top quality natural larch wood, moisture content ≤ 12%.
	Artificial panel	Not easily deformed, safe and eco-friendly.
	Spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity.
	Reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	Coated wood piece	The paint has great resistance to heat and impact.
Hardware	Premium (A-grade) accessory, lightweight, durable and safe.	

Dimension:




No further notice will be given with regard to changes.

Assembly instruction:

Installation and usage instructions:

1. After unpacking the sofa, inspect it for any abnormalities before conducting sofa cleaning.
2. If the sofa requires assembly, use protective padding materials for safeguarding, place it with the back facing the ground during assembly, tighten the sofa legs with screws, then straighten the sofa to check that it is fully aligned, with all four legs level and non-wobbly.




Accessories list

a	b	c
 Cross Recessed Countersunk Self-Tapping Screw ST50*60 4PCS	 Tang Leg Frame Connector-1 106*93*47.5 1PCS	 Tang Leg Frame Connector-2 106*93*47.5 1PCS

Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfuction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:



Sunon 圣奥

Using instruction

Thanks for buying this product.
Please read this instruction carefully before use.

Product introduction

Series: Qiandao Series
Model: ST36. 1. MR
Dimension: 450*450*480MM
Material: Use of high-quality cleats, leather, fabric, metal fee

This product is for office, decoration, indoor use.


Sunon Technology Co., Ltd.

Service Hotline: 4008-600-666

Website: www.sunonglobal.com

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang



Manufacturing Base: No. 5806 Qingxi 3rd road, Qiantang District, Hangzhou, Zhejiang, China



Material:

Material	Genuine leather	Premium leather, lustrous, airy, soft and resilient.
	Water-based leather/EPU	Colorful and diversified.
	Hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	Resilient foam	Of appropriate hardness.
	Latex foam	Made of natural latex, high elasticity, shock absorption, good load-bearing, comfortable and durable.
	PP foam	Comfortable touch, smooth and soft, flexible and well-shaped.
	Silk wadding	Even and smooth.
	Duck down	Good quality, resilient and able to contract and expand as temperature changes.
Other materials	Solid wood	Top quality natural larch wood, moisture content ≤ 12%.
	Artificial panel	Not easily deformed, safe and eco-friendly.
	Spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity.
	Reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	Coated wood piece	The paint has great resistance to heat and impact.
Hardware	Premium (A-grade) accessory, lightweight, durable and safe.	

Dimension:




No further notice will be given with regard to changes.


Assembly instruction:

Installation and usage instructions:

1. After unpacking the sofa, inspect it for any abnormalities before conducting sofa cleaning.
2. If the sofa requires assembly, use protective padding materials for safeguarding, place it with the back facing the ground during assembly, tighten the sofa legs with screws, then straighten the sofa to check that it is fully aligned, with all four legs level and non-wobbly.




Accessories list



Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfuction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:



Sunon 圣奥

Using instruction

Thanks for buying this product.
Please read this instruction carefully before use.

Product introduction

Series: Qiandao Series
 Model: ST36. 1. MR. X
 Dimension: 450*800*680*480MM
 Material: Use of high-quality cleats, leather, fabric, metal fee

This product is for office, decoration, indoor use.


Sunon Technology Co., Ltd.

Service Hotline: 4008-600-666

Website: www.sunonglobal.com

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang




Manufacturing Base: No. 5806 Qingxi 3rd road, Qiantang District, Hangzhou, Zhejiang, China



Material:

Material	Genuine leather	Premium leather, lustrous, airy, soft and resilient.
	Water-based leather/EPU	Colorful and diversified.
	Hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	Resilient foam	Of appropriate hardness.
	Latex foam	Made of natural latex, high elasticity, shock absorption, good load-bearing, comfortable and durable.
	PP foam	Comfortable touch, smooth and soft, flexible and well-shaped.
	Silk wadding	Even and smooth.
	Duck down	Good quality, resilient and able to contract and expand as temperature changes.
Other materials	Solid wood	Top quality natural larch wood, moisture content ≤ 12%.
	Artificial panel	Not easily deformed, safe and eco-friendly.
	Spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity.
	Reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	Coated wood piece	The paint has great resistance to heat and impact.
Hardware	Premium (A-grade) accessory, lightweight, durable and safe.	

Dimension:




No further notice will be given with regard to changes.


Assembly instruction:

Installation and usage instructions:

1. After unpacking the sofa, inspect it for any abnormalities before conducting sofa cleaning.
2. If the sofa requires assembly, use protective padding materials for safeguarding, place it with the back facing the ground during assembly, tighten the sofa legs with screws, then straighten the sofa to check that it is fully aligned, with all four legs level and non-wobbly.




Accessories list



Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfuction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:




Sunon 圣奥

Using instruction

Thanks for buying this product.
Please read this instruction
carefully before use.

Product introduction

Series: Qiandao Series
Model: ST37. 1. MR
Dimension: 960*810*800*470MM
Material: Use of high-quality cleats, leather, fabric, metal fee



This product is for office, decoration, indoor use.

Sunon Technology Co., Ltd.

Service Hotline: 4008-600-666

Website: www.sunonglobal.com




Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang

Manufacturing Base: No. 5806 Qingxi 3rd road, Qiantang District, Hangzhou, Zhejiang, China

Material:

Material	Genuine leather	Premium leather, lustrous, airy, soft and resilient.
	Water-based leather/EPU	Colorful and diversified.
	Hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	Resilient foam	Of appropriate hardness.
	Latex foam	Made of natural latex, high elasticity, shock absorption, good load-bearing, comfortable and durable.
	PP foam	Comfortable touch, smooth and soft, flexible and well-shaped.
	Silk wadding	Even and smooth.
	Duck down	Good quality, resilient and able to contract and expand as temperature changes.
Other materials	Solid wood	Top quality natural larch wood, moisture content ≤ 12%.
	Artificial panel	Not easily deformed, safe and eco-friendly.
	Spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity.
	Reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	Coated wood piece	The paint has great resistance to heat and impact.
Hardware	Premium (A-grade) accessory, lightweight, durable and safe.	

Dimension:




No further notice will be given with regard to changes.


Assembly instruction:

Installation and usage instructions:

1. After unpacking the sofa, inspect it for any abnormalities before conducting sofa cleaning.
2. If the sofa requires assembly, use protective padding materials for safeguarding, place it with the back facing the ground during assembly, tighten the sofa legs with screws, then straighten the sofa to check that it is fully aligned, with all four legs level and non-wobbly.




Accessories list



Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfuction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:




Sunon 圣奥

Using instruction

Thanks for buying this product.
Please read this instruction
carefully before use.

Product introduction

Series: Qiandao Series
Model: ST37. 2. MR
Dimension: 1600*810*800*470MM
Material: Use of high-quality cleats, leather, fabric, metal fee



This product is for office, decoration, indoor use.

Sunon Technology Co., Ltd.

Service Hotline: 4008-600-666

Website: www.sunonglobal.com




Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang

Manufacturing Base: No. 5806 Qingxi 3rd road, Qiantang District, Hangzhou, Zhejiang, China

Material:

Material	Genuine leather	Premium leather, lustrous, airy, soft and resilient.
	Water-based leather/EPU	Colorful and diversified.
	Hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	Resilient foam	Of appropriate hardness.
	Latex foam	Made of natural latex, high elasticity, shock absorption, good load-bearing, comfortable and durable.
	PP foam	Comfortable touch, smooth and soft, flexible and well-shaped.
	Silk wadding	Even and smooth.
	Duck down	Good quality, resilient and able to contract and expand as temperature changes.
Other materials	Solid wood	Top quality natural larch wood, moisture content ≤ 12%.
	Artificial panel	Not easily deformed, safe and eco-friendly.
	Spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity.
	Reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	Coated wood piece	The paint has great resistance to heat and impact.
Hardware	Premium (A-grade) accessory, lightweight, durable and safe.	

Dimension:




No further notice will be given with regard to changes.


Assembly instruction:

Installation and usage instructions:

1. After unpacking the sofa, inspect it for any abnormalities before conducting sofa cleaning.
2. If the sofa requires assembly, use protective padding materials for safeguarding, place it with the back facing the ground during assembly, tighten the sofa legs with screws, then straighten the sofa to check that it is fully aligned, with all four legs level and non-wobbly.




Accessories list



Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfuction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:




Sunon 圣奥

Using instruction

Thanks for buying this product.
Please read this instruction
carefully before use.

Product introduction

Series: Qiandao Series
Model: ST37. 3. MR
Dimension: 2310*810*800*470MM
Material: Use of high-quality cleats, leather, fabric, metal fee



This product is for office, decoration, indoor use.

Sunon Technology Co., Ltd.

Service Hotline: 4008-600-666

Website: www.sunonglobal.com


Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang

Manufacturing Base: No. 5806 Qingxi 3rd road, Qiantang District, Hangzhou, Zhejiang, China

Material:

Material	Genuine leather	Premium leather, lustrous, airy, soft and resilient.
	Water-based leather/EPU	Colorful and diversified.
	Hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	Resilient foam	Of appropriate hardness.
	Latex foam	Made of natural latex, high elasticity, shock absorption, good load-bearing, comfortable and durable.
	PP foam	Comfortable touch, smooth and soft, flexible and well-shaped.
	Silk wadding	Even and smooth.
	Duck down	Good quality, resilient and able to contract and expand as temperature changes.
Other materials	Solid wood	Top quality natural larch wood, moisture content ≤ 12%.
	Artificial panel	Not easily deformed, safe and eco-friendly.
	Spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity.
	Reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	Coated wood piece	The paint has great resistance to heat and impact.
Hardware	Premium (A-grade) accessory, lightweight, durable and safe.	

Dimension:




No further notice will be given with regard to changes.

Assembly instruction:

Installation and usage instructions:


1. After unpacking the sofa, inspect it for any abnormalities before conducting sofa cleaning.
2. If the sofa requires assembly, use protective padding materials for safeguarding, place it with the back facing the ground during assembly, tighten the sofa legs with screws, then straighten the sofa to check that it is fully aligned, with all four legs level and non-wobbly.

Accessories list



Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfuction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:



Sunon 圣奥

Using instruction

Thanks for buying this product.
Please read this instruction carefully before use.

Product introduction

Series: Qiandao Series
 Model: ST38. 1. MR
 Dimension: 1010*760*1550*470MM
 Material: Use of high-quality cleats, leather, fabric, metal fee

This product is for office, decoration, indoor use.


Sunon Technology Co., Ltd.

Service Hotline: 4008-600-666

Website: www.sunonglobal.com

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang


Manufacturing Base: No. 5806 Qingxi 3rd road, Qiantang District, Hangzhou, Zhejiang, China



Material:

Material	Genuine leather	Premium leather, lustrous, airy, soft and resilient.
	Water-based leather/EPU	Colorful and diversified.
	Hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	Resilient foam	Of appropriate hardness.
	Latex foam	Made of natural latex, high elasticity, shock absorption, good load-bearing, comfortable and durable.
	PP foam	Comfortable touch, smooth and soft, flexible and well-shaped.
	Silk wadding	Even and smooth.
	Duck down	Good quality, resilient and able to contract and expand as temperature changes.
Other materials	Solid wood	Top quality natural larch wood, moisture content ≤ 12%.
	Artificial panel	Not easily deformed, safe and eco-friendly.
	Spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity.
	Reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	Coated wood piece	The paint has great resistance to heat and impact.
Hardware	Premium (A-grade) accessory, lightweight, durable and safe.	

Dimension:




No further notice will be given with regard to changes.


Assembly instruction:

Installation and usage instructions:

1. After unpacking the sofa, inspect it for any abnormalities before conducting sofa cleaning.
2. If the sofa requires assembly, use protective padding materials for safeguarding, place it with the back facing the ground during assembly, tighten the sofa legs with screws, then straighten the sofa to check that it is fully aligned, with all four legs level and non-wobbly.




Accessories list



Using instruction:

To extend the longevity of product, please read this instruction carefully before use:




Solution to small issues:

Malfuction	Reason	Solution
The sofa is not stable	Uneven ground	Cushion the bottom of sofa with some hard material
Accessories move inflexibly	Loose connection or lack lubricating oil	Tighten the screws and add some lubricating oil
Creaking sound	The sofa feet rubs with ground	Place leather cushion beneath sofa feet
Crumped surface	Squeeze during transportation	Gently pat on the leather/fabric surface to restore the outlook

Assembly instruction:

- Please determine the location of your furniture before assembly to avoid moving them for a large distance after being assembled.
- Do not place your furniture in dark and damp or hot and dry environment.
- Please check the number of packaging bags, view the product installation manual and verify the product structure.
- Please check the direction of each part when unpacking them before installation.
- Please install the product patiently. Make sure each part is in the right position. Furniture is easy to assemble, but it needs patience and care to make every part in place.
- Please check the stability of the furniture after installation. Shake your furniture gently to confirm whether it is level with the ground or whether the screw is tight.
- Please keep the furniture open for a period of time to release residual painting smell.

Note:



Sunon 圣奥

Using instruction

Thanks for buying this product.
Please read this instruction
carefully before use.

Product introduction

Series: Qiandao Series
Model: ST38. 2. MR
Dimension: 1670*760*1550*470MM
Material: Use of high-quality cleats, leather, fabric, metal fee

This product is for office, decoration, indoor use.


Sunon Technology Co., Ltd.

Service Hotline: 4008-600-666

Website: www.sunonglobal.com

Headquarters: Sunon Central Buisness Building, No. 200 Citizen Street, Qianjiang CBD, Hangzhou, Zhejiang


Manufacturing Base: No. 5806 Qingxi 3rd road, Qiantang District, Hangzhou, Zhejiang, China



Material:

Material	Genuine leather	Premium leather, lustrous, airy, soft and resilient.
	Water-based leather/EPU	Colorful and diversified.
	Hemp soft cloth/polyester	Flame retardant, stain resistant and not easily deformed.
Filling	Resilient foam	Of appropriate hardness.
	Latex foam	Made of natural latex, high elasticity, shock absorption, good load-bearing, comfortable and durable.
	PP foam	Comfortable touch, smooth and soft, flexible and well-shaped.
	Silk wadding	Even and smooth.
	Duck down	Good quality, resilient and able to contract and expand as temperature changes.
Other materials	Solid wood	Top quality natural larch wood, moisture content ≤ 12%.
	Artificial panel	Not easily deformed, safe and eco-friendly.
	Spring	Snake-shaped spring steel wire with a diameter of 3.0mm-4.0mm highlights stable elasticity.
	Reinforced steel wire	4.0mm-6.0mm diameter ensures higher elasticity and durability.
	Coated wood piece	The paint has great resistance to heat and impact.
Hardware	Premium (A-grade) accessory, lightweight, durable and safe.	

Dimension:




No further notice will be given with regard to changes.

Assembly instruction:

Installation and usage instructions:

1. After unpacking the sofa, inspect it for any abnormalities before conducting sofa cleaning.
2. If the sofa requires assembly, use protective padding materials for safeguarding, place it with the back facing the ground during assembly, tighten the sofa legs with screws, then straighten the sofa to check that it is fully aligned, with all four legs level and non-wobbly.



Accessories list

